



**cucine
elettriche
HIGH POWER
HIGH POWER
electric
cooker**



1974 [25] 1999

ISO 9001




L 400
P 700
h 290



L 800
P 700
h 290

L 1200
P 700
h 290




L 400
P 700
h 900


L 800
P 700
h 900

modello model	E7P2B	E7P4B	E7P6B	E7P2M	E7P4M
piastre tonde round plates	n° 2 Ø mm 220 kW 2,6	n° 4 Ø mm 220 kW 2,6	n° 6 Ø mm 220 kW 2,6	n° 2 Ø mm 220 kW 2,6	n° 4 Ø mm 220 kW 2,6
forno elettrico electric oven	kW -	kW -	kW -	kW -	kW -
potenza totale total heat input	kW 5,20	kW 10,40	kW 15,60	kW 5,20	kW 10,40
connessione elettrica electric connection	V 400 - 415 3N~	V 400 - 415 3N~	V 400 - 415 3N~	V 400 - 415 3N~	V 400 - 415 3N~
optional	V 230 - 240 3~	V 230 - 240 3~	V 230 - 240 3~	V 230 - 240 3~	V 230 - 240 3~
dimensione camera cavity dimensions	-	-	-	-	-
dotazione griglie grids supplied	-	-	-	-	-
peso totale total weight	Kg 24	Kg 41	Kg 60	Kg 37	Kg 59
capacità cubic volume	m³ 0,25	m³ 0,45	m³ 0,64	m³ 0,50	m³ 0,90
axb cxh	mm 45 x 75 -	mm 45 x 75 -	mm 45 x 75 -	mm 660 x 70 -	mm 660 x 70 -







L 800
P 700
h 900




L 800
P 700
h 900




L 800
P 700
h 900



L 1200
P 700
h 900



L 1200
P 700
h 900



L 1200
P 700
h 900

E7P4+FE1

n° 4
Ø mm 220
kW 2,6

kW 3

kW 13,40

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 1/1GN
(n. 3 x 600 x 400)

n. 1 x 600 x 400

Kg 83

m³ 0,90

mm 359 x 42

E7P4+FES

n° 4
Ø mm 220
kW 2,6

kW 3

kW 13,40

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 100

m³ 0,90

mm 359 x 42

E7P4+FE

n° 4
Ø mm 220
kW 2,6

kW 5,9

kW 16,30

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 100

m³ 0,90

mm 359 x 42

E7P6+FE1

n° 6
Ø mm 220
kW 2,6

kW 3

kW 18,60

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 1/1GN
(n. 3 x 600 x 400)

n. 1 x 600 x 400

Kg 113

m³ 1,25

mm 359 x 42

E7P6+FES

n° 6
Ø mm 220
kW 2,6

kW 3

kW 18,60

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 130

m³ 1,25

mm 359 x 42

E7P6+FE

n° 6
Ø mm 220
kW 2,6

kW 5,9

kW 21,50

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 130

m³ 1,25


mm 359 x 42




**cucine
elettriche
HIGH POWER
HIGH POWER
electric
cooker**

1974 [25°] 1999


ISO 9001




L 400
P 700
h 290




L 1200
P 700
h 290



L 800
P 700
h 900




L 800
P 700
h 290




L 400
P 700
h 900

modello model	E7PQ2B	E7PQ4B	E7PQ6B	E7PQ2M	E7PQ4M
piastre quadre square plates	n° 2 mm 220 x 220 kW 2,6	n° 4 mm 220 X 220 kW 2,6	n° 6 mm 220 X 220 kW 2,6	n° 2 mm 220 x 220 kW 2,6	n° 4 mm 220 x 220 kW 2,6
forno elettrico electric oven	kW -	kW -	kW -	kW -	kW -
potenza totale total heat input	kW 5,20	kW 10,40	kW 15,60	kW 5,20	kW 10,40
connessione elettrica electric connection	V 400 - 415 3N~	V 400 - 415 3N~	V 400 - 415 3N~	V 400 - 415 3N~	V 400 - 415 3N~
optional	V 230 - 240 3~	V 230 - 240 3~	V 230 - 240 3~	V 230 - 240 3~	V 230 - 240 3~
dimensione camera cavity dimensions	-	-	-	-	-
dotazione griglie grids supplied	-	-	-	-	-
peso totale total weight	Kg 27	Kg 47	Kg 69	Kg 40	Kg 65
cubatura cubic volume	m³ 0,25	m³ 0,45	m³ 0,64	m³ 0,50	m³ 0,90
axb cxd	mm 45 x 75 -	mm 45 x 75 -	mm 45 x 75 -	mm 660 x 70 -	mm 660 x 70 -







L 800
P 700
h 900




L 800
P 700
h 900




L 800
P 700
h 900



L 1200
P 700
h 900



L 1200
P 700
h 900



L 1200
P 700
h 900

E7PQ4+FE1

n° 4
mm 220 x 220
kW 2,6

kW 3

kW 13,40

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 1/1GN
(n. 3 x 600 x 400)

n. 1 x 600 x 400

Kg 89

m³ 0,90

mm 359 x 42

E7PQ4+FES

n° 4
mm 220 x 220
kW 2,6

kW 3

kW 13,40

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 106

m³ 0,90

mm 359 x 42

E7PQ4+FE

n° 4
mm 220 x 220
kW 2,6

kW 5,9

kW 16,30

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 106

m³ 0,90

mm 359 x 42

E7PQ6+FE1

n° 6
mm 220 x 220
kW 2,6

kW 3

kW 18,60

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 1/1GN
(n. 3 x 600 x 400)

n. 1 x 600 x 400

Kg 122

m³ 1,25

mm 359 x 42

E7PQ6+FES

n° 6
mm 220 x 220
kW 2,6

kW 3

kW 18,60

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 139

m³ 1,25

mm 359 x 42

E7PQ6+FE

n° 6
mm 220 x 220
kW 2,6

kW 5,9

kW 21,50

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 130

m³ 1,25

mm 359 x 42

