




cucine a gas
HIGH POWER
HIGH POWER
gas cooker




1974 [25°] 1999

ISO 9001




L 400
P 700
h 290



L 800
P 700
h 290


L 1200
P 700
h 290



L 400
P 700
h 900

L 800
P 700
h 900


modello model	G7F2B		G7F4B		G7F6B		G7F2M		G7F4M	
bruciatori aperti open burner	n°	1 1	n°	2 2	n°	3 3	n°	1 1	n°	2 2
	Ø mm	82 111	Ø mm	82 111	Ø mm	82 111	Ø mm	82 111	Ø mm	82 111
	kW	3,5 6,0	kW	3,5 6,0	kW	3,5 6,0	kW	3,5 6,0	kW	3,5 6,0
	Kcal/h	3010 5160	Kcal/h	3010 5160	Kcal/h	3010 5160	Kcal/h	3010 5160	Kcal/h	3010 5160
	BTU/h	11942 20472	BTU/h	11942 20472	BTU/h	11942 20472	BTU/h	11942 20472	BTU/h	11942 20472
bruciatori forno oven burner	n°	-	n°	-	n°	-	n°	-	n°	-
	kW	-	kW	-	kW	-	kW	-	kW	-
	Kcal/h	-	Kcal/h	-	Kcal/h	-	Kcal/h	-	Kcal/h	-
	BTU/h	-	BTU/h	-	BTU/h	-	BTU/h	-	BTU/h	-
forno elettrico electric oven	kW	-	kW	-	kW	-	kW	-	kW	-
potenza totale total heat input	kW	9,50	kW	19,00	kW	28,50	kW	9,50	kW	19,00
	Kcal/h	8170	Kcal/h	16340	Kcal/h	24510	Kcal/h	8170	Kcal/h	16340
	BTU/h	32414	BTU/h	64828	BTU/h	97242	BTU/h	32414	BTU/h	64828
consumo gas gas consumption	G30/G31	Kg/h 0,7	G30/G31	Kg/h 1,5	G30/G31	Kg/h 2,2	G30/G31	Kg/h 0,7	G30/G31	Kg/h 1,5
	G20	m/h 1,0	G20	m/h 2,0	G20	m/h 3,0	G20	m/h 1,0	G20	m/h 2,0
	G25	m/h 1,2	G25	m/h 2,3	G25	m/h 3,5	G25	m/h 1,2	G25	m/h 2,3
connessione gas gas connection	1/2"G		1/2"G		1/2"G		1/2"G		1/2"G	
connessione elettrica electric connection	-		-		-		-		-	
optional	-		-		-		-		-	
dimensione camera cavity dimensions	-		-		-		-		-	
dotazione griglie grids supplied	-		-		-		-		-	
peso totale total weight	Kg 36		Kg 61		Kg 87		Kg 48		Kg 80	
capacità cubic volume	m³ 0,25		m³ 0,45		m³ 0,64		m³ 0,50		m³ 0,90	
axb cx	mm 45 x 15		mm 45 x 15		mm 45 x 15		mm 215 x 15		mm 215 x 15	
cx	-		-		-		-		-	




cucine a gas
HIGH POWER
HIGH POWER
gas cooker

1974 [25°] 1999


ISO 9001




L 800
P 700
h 900



L 800
P 700
h 900





L 800
P 700
h 900




L 800
P 700
h 900

modello model	G7F4+FG1	G7F4+FG	G7F4+FE1	G7F4+FES
bruciatori aperti open burner	n° 2 2 Ø mm 82 111 kW 3,5 6,0 Kcal/h 3010 5160 BTU/h 11942 20472	n° 2 2 Ø mm 82 111 kW 3,5 6,0 Kcal/h 3010 5160 BTU/h 11942 20472	n° 2 2 Ø mm 82 111 kW 3,5 6,0 Kcal/h 3010 5160 BTU/h 11942 20472	n° 2 2 Ø mm 82 111 kW 3,5 6,0 Kcal/h 3010 5160 BTU/h 11942 20472
bruciatori forno oven burner	n° 1 kW 3,5 Kcal/h 3010 BTU/h 11942	n° 1 kW 7,80 Kcal/h 6708 BTU/h 26614	n° - kW - Kcal/h - BTU/h -	n° - kW - Kcal/h - BTU/h -
forno elettrico electric oven	kW -	kW -	kW 3	kW 3
potenza totale total heat input	kW 22,50 Kcal/h 19350 BTU/h 76770	kW 26,80 Kcal/h 23048 BTU/h 91442	kW 22,00 Kcal/h 18920 BTU/h 75064	kW 22,00 Kcal/h 18920 BTU/h 75064
consumo gas gas consumption	G30/G31 Kg/h 1,8 G20 m/h 2,4 G25 m/h 2,8	G30/G31 Kg/h 2,1 G20 m/h 2,8 G25 m/h 3,3	G30/G31 Kg/h 1,5 G20 m/h 2,0 G25 m/h 2,3	G30/G31 Kg/h 1,5 G20 m/h 2,0 G25 m/h 2,3
connessione gas gas connection	1/2"G	1/2"G	1/2"G	1/2"G
connessione elettrica electric connection	-	-	V 230 - 240~	V 400 - 415 3N~
optional	-	-	-	-
dimensione camera cavity dimensions	n. 3 x 1/1GN (n.3 x 600 x 400)	n. 3 x 2/1GN	n. 3 x 1/1GN (n.3 x 600 x 400)	n. 3 x 2/1GN
dotazione griglie grids supplied	n. 1 x 600 x 400	n. 1 x 2/1 GN	n. 1 x 600 x 400	n. 1 x 2/1GN
peso totale total weight	Kg 101	Kg 117	Kg 100	Kg 122
cubatura cubic volume	m³ 0,90	m³ 0,90	m³ 0,90	m³ 0,90
axb cxh	mm 280 x 25 -	mm 280 x 25 -	mm 280 x 25 mm 359 x 42	mm 280 x 25 mm 359 x 42







L 800
P 700
h 900




L 1200
P 700
h 900




L 1200
P 700
h 900



L 1200
P 700
h 900



L 1200
P 700
h 900



L 1200
P 700
h 900

G7F4+FE

n° 2 2
Ø mm 82 111
kW 3,5 6,0
Kcal/h 3010 5160
BTU/h 11942 20472

n° -
kW -
Kcal/h -
BTU/h -

kW 5,90

kW 24,90
Kcal/h 21414
BTU/h 84959

G30/G31 Kg/h 1,5
G20 m/h 2,0
G25 m/h 2,3

1/2"G

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 122

m³ 0,90

mm 280 x 25
mm 359 x 42

G7F6+FG1

n° 3 3
Ø mm 82 111
kW 3,5 6,0
Kcal/h 3010 5160
BTU/h 11942 20472

n° 1
kW 3,50
Kcal/h 3010
BTU/h 11942

kW -

kW 32,00
Kcal/h 27520
BTU/h 109184

G30/G31 Kg/h 2,5
G20 m/h 3,4
G25 m/h 3,9

1/2"G

-

-

n. 3 x 1/1GN
(n. 3 x 600 x 400)

n. 1 x 600 x 400

Kg 146

m³ 1,25

mm 280 x 25

-

G7F6+FG

n° 3 3
Ø mm 82 111
kW 3,5 6,0
Kcal/h 3010 5160
BTU/h 11942 20472

n° 1
kW 7,80
Kcal/h 6708
BTU/h 26614

kW -

kW 36,30
Kcal/h 31218
BTU/h 123856

G30/G31 Kg/h 2,8
G20 m/h 3,8
G25 m/h 4,5

1/2"G

-

-

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 155

m³ 1,25

mm 280 x 25

-

G7F6+FE1

n° 3 3
Ø mm 82 111
kW 3,5 6,0
Kcal/h 3010 5160
BTU/h 11942 20472

n° -
kW -
Kcal/h -
BTU/h -

kW 3

kW 31,50
Kcal/h 27090
BTU/h 107478

G30/G31 Kg/h 2,2
G20 m/h 3,0
G25 m/h 3,5

1/2"G

V 230 - 240~

-

n. 3 x 1/1GN
(n. 3 x 600 x 400)

n. 1 x 600 x 400

Kg 145

m³ 1,25

mm 280 x 25
mm 359 x 42

G7F6+FES

n° 3 3
Ø mm 82 111
kW 3,5 6,0
Kcal/h 3010 5160
BTU/h 11942 20472

n° -
kW -
Kcal/h -
BTU/h -

kW 3

kW 31,50
Kcal/h 27090
BTU/h 107478

G30/G31 Kg/h 2,2
G20 m/h 3,0
G25 m/h 3,5

1/2"G

V 400 - 415 3N~

-

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 160

m³ 1,25

mm 280 x 25
mm 359 x 42

G7F6+FE

n° 3 3
Ø mm 82 111
kW 3,5 6,0
Kcal/h 3010 5160
BTU/h 11942 20472

n° -
kW -
Kcal/h -
BTU/h -

kW 5,90

kW 34,40
Kcal/h 29584
BTU/h 117373

G30/G31 Kg/h 2,2
G20 m/h 3,0
G25 m/h 3,5

1/2"G

V 400 - 415 3N~

V 230 - 240 3~

n. 3 x 2/1GN

n. 1 x 2/1GN

Kg 160

m³ 1,25

mm 280 x 25
mm 359 x 42

